

PII Rožu ielā
Gaismekli

1. LED panelis griestos

Ø145 mm, 120°, 3500K, 900Lm, IP44, 9W (ELMO)



2. LED gaismeklis pie griestiem

172 mm, 120°, 3500K, 1200Lm, IP44, 12W (ELMO)



3. Gaismeklis pie griestiem

FOX-236-EP, 2x36W, 1315 x 165 x 63 mm (Vyrtych)



4. Gaismeklis griestos

Orion 218 B27 SOP, 52W (NORTHCLIFEE)



5. LED gaismeklis pie griestiem

Ø225 mm, 120°, 3500K, 1800Lm, IP44, 18W (ELMO)



6. Gaismeklis pie sienas

BASIC SMALL, d=260 mm, E27, 54W, IP65, IK10 (LEDS C4)



7. Gaismeklis pie griestiem

Neptun PC T8, 2x36 W (LUXIONA)

7*. Griestos iekārts gaismeklis

(paredzēt papildus piekares sistēmu)




8. Griestos iekārts gaismeklis

T 1038 Gong, d=320, h=320, E27 Max 60W, tonis- 36 Flat white (BELID)



9. Gaismeklis pie griestiem
UX-CLASSIC NC PAR-V 2x54W (OMS)



10. Gaismeklis pie sienas d(ežūrapgaismojums)
SMILLA BAGGE (101.944.46), 230 x 320 x 65 mm (IKEA)



11. Griestos iekārts gaismeklis (starp metāla profiliem)

Decor 149 M84 PAR, 1476x60x70 mm, 1x49 W, A2, D PAR
(NORTHCLIFFE)



12. Griestos iebūvēts gaismeklis

BALI 180 M15, 1480 x 90 x 80 mm, 1x80 W, IP20 (NORTHCLIFFE)



- 13. Gaismeklis pie sienas** (h=2000 mm no pakāpiena)
PLASTRA WL-1, 100x75x247 mm, white 148015, 2x35W (SLV)



- 14. Griestos iekārts gaismeklis**
RUBIN ROUND d=1200, IP20, (10x55W) PLX L-DOWN, dimmējams
(Luxiona)



15. Prožektori- piestiprināti pie sliedes

PAR-16 Spot white 230V, GU-10, max 75W,
150 x 100 x 80 mm (EUROLITE)



**16. Rotējošs daudzkrāsu apgaismojuma prožektors ar mikrofonu,
"Moonflower" efektu**

Micro Burst, 286x165x134mm, 3W, Micro-LED-Series (AMERICAN DJ)



17. Āra gaismeklis pie griestiem

OPAL 15-9677-14-M1, d=300mm, E27, 2x23W, IP65, IK10 (LEDS C4)




18. Āra gaismeklis pie sienas

OPAL 05-9677-14-M1, d=300mm, E27, 2x23W, IP65, IK10 (LEDS C4)



19. Gaismeklis pie fasādes, nojumē

ARTEMIS, 032/30/50R/AAS, LED 7.6 W, h~3100 mm (ACDC)



20. Gaismeklis pie fasādes, nojumēs

SHOT 290 VIAL HIT G12, 70W, GRIS, 7501253, IP65, IK09, h~3100 mm,
h=2750 mm (LAMP)



Laterna

Laterna Nyx 450 HIT 150W fp4, IP66, IK09
(FOCUS Lighting) (6m)

**Laterna**

Nyx 330, 32W f.p., IP66, IK10
(FOCUS Lighting) (4m)



Prožektors nojumē (vērsts uz iekšu)
ACDC 1031/30/50R/AAS, LED 2.5W (ACDC)



Gaismeklis koku izgaismošanai (zālienā)
Lutera, 8521RES/LED-W ET, LED 17.7 W (TRILUX)

